

# CHEMPOSITE CASE HISTORY

## Hoods & Covers

### LOCATION

Canada

### YEAR

2005

### EQUIPMENT:

One (1) Ø20m Tank Cover  
The cover has a 7'Ø center plug, with  
15 pie shaped segments. One segment has  
a 5' H hatch, with a FRP manway.

### RESIN SELECTION

Isophthalic Polyester



# CHEMPOSITE CASE HISTORY

## Hoods & Covers

### LOCATION

Hong Kong, China

### YEAR

1999-now

### EQUIPMENT

Chemposite Solid Flooring and Cover System  
T-Deck™

### RESIN SELECTION

Polyester Fire Retardant



# CHEMPOSITE CASE HISTORY

## Hoods & Covers

### LOCATION

Canada

### YEAR

2004

### PROJECT SCOPE

(2) Brown Decker Washer Hoods to cover  
35' W x 24' L Washer Vat

### RESIN SELECTION

Derakane 510N Vinyl Ester



### LOCATION

Canada

### YEAR

2002

### PROJECT SCOPE

Two (2) Gullwing® Brown Stock Washer Hoods and Walkway Support



### EQUIPMENT

On site measurement; Design & engineering; Fabrication & supply; Supervision of the on-site installation of two (2) Gullwing® Brown Stock Washer Hoods.

Chemposite also assisted in the design of the SS316 walkway system incorporated with the hoods.



### RESIN SELECTION

Derakane 510C Vinyl Ester Fire Retardant+ 3% Antimony Trioxide for Class 1 Flame Spread Rating



# CHEMPOSITE CASE HISTORY

## Hoods & Covers

### LOCATION

Canada

### PROJECT SCOPE

Washer Hood (21'3" L x 21'4" w)

Washer Hood (21'-4" W x 22' L)

### YEAR

2002



### EQUIPMENT

GullWing® type washer hood c/w 24" dia. exhaust header; inspection doors; camera mounts; light windows and mountings; shower pipe support brackets. Chemosite was also responsible for on-site measurement and supervision of installation



### RESIN SELECTION

Derakane 510N Vinyl Ester



# CHEMPOSITE CASE HISTORY

## Hoods & Covers

### LOCATION

Bellingham, WA

### YEAR

1999

### PROJECT SCOPE

(3) Gullwing ® type Bleach Washer Hoods – Air Seal

### EQUIPMENT

On site measurement; Design & engineering; Fabrication & supply; Hoods include exhaust header connecting to existing ductwork and shower piping.

### RESIN SELECTION

Derakane 510C Vinyl Ester Fire Retardant  
3% Antimony Trioxide  
for Class 1 Flame Spread Rating

